WOOD, HERRON & EVANS, L.L.P.

BRUCE TITTEL DONALD F. FREI DAVID J. JOSEPHIC DAVID S. STALLARD J. ROBERT CHAMBERS J. ROBERT CHAMBERS
GREGORY J. LUNN
KURT L. GROSSMAN
CLEMENT H. LUKEN, JR.
THOMAS J. BURGER
GREGORY F. AHRENS
WAYNE L. JACOBS
KURT A. SUMME
KEVIN G. ROONEY
KEITH R. HAUPT KEITH R. HAUP!
THEODORE R. REMAKLUS
THOMAS W. HUMPHREY
SCOTT A. STINEBRUNER
DAVID H. BRINKMAN
BEVERLY A. LYMAN, PH.D.

OF COUNSEL JOHN D. POFFENBERGER THOMAS W. FLYNN

Fax:

2700 CAREW TOWER 441 VINE STREET **CINCINNATI, OHIO 45202-2917**

TELEPHONE: 513-241-2324

FACSIMILE: 513-241-6234

EMAIL: info@whepatent.com

PATENT, TRADEMARK, COPYRIGHT AND UNFAIR COMPETITION LAW AND RELATED LITIGATION

EDMUND P. WOOD TRUMAN A. HERRON 1923,1968 **FOWARD B EVANS** 1938-1971

October 19, 2004

JOSEPH R. JORDAN C. RICHARD EBY DAVID E. PRITCHARD

J. DWIGHT POFFENBERGER, JR. KATHRYN E. SMITH KRISTI L. DAVIDSON P. ANDREW BLATT, PH.D. DAVID E. JEFFERIES WILLIAM R. ALLEN, PH.D. JOHN PAUL DAVIS DOUGLAS A. SCHOLER BRETT A. SCHATZ DAVID W. DORTON SARAH OTTE GRABER STEVEN W. BENINTENDI, PH.D. RANDALL S. JACKSON, JR.

> TECHNICAL ADVISORS HENRY M. LABODA, PH.D.

RECEIVED **CENTRAL FAX CENTER** OCT 19 2004

FACSIMILE COVER SHEET

To: The Honorable Commissioner

Attention: Technology Center 3700

703-872-9301

From: Kurt L. Grossman

Re: Our File: MDXVA-80US

Pages: 4 (including cover sheet)

RE: Serial No. 10/628,974

Filed July 28, 2003 Art Unit 3744

A Method and an Apparatus For a Port Access System

Inventor: Anja Metzger

MESSAGE/COMMENTS OFFICIAL

Attached please find and enter a Revocation and Grant of Power of Attorney attached herewith (including a copy of the assignment from the inventors as set out in the document). It is believed no fee is necessary in connection with the request, however, if any fee or surcharge is deemed necessary please consider this a request to charge same to Deposit Account No. 23-3000.

Keg. No. 29,799

Thank you

BEST AVAILABLE COPY

The information in this facsimile message is ATTORNEY-CLIENT PRIVILEGED, WORK PRODUCT and/or CONFIDENTIAL INFORMATION intended only for the use of the individual or entity to whom this message is addressed. If the reader of this message is not the intended recipient or the employee or agent responsible for LEZZYNE I SKOZY delivering it to the intended recipient, you are hereby notified that any dissemination, distribution or reproduction of this communication is strictly prohibited. If you have received this communication in error, please immediately notify us by telephone and return the original message to us at the above address via mail. Thank you. If transmission is interrupted or of poor quality, please notify us immediately by calling (513) 241-2324 and ask for the sender's assistant. OUR FAX NUMBER IS (513) 241-6234.

I berreby certify that this correspondence is being transmitted via factingile to the U.S. Patent and Trademark Office at 703-872-9301 on 2004.

| Color | Col

RECEIVED CENTRAL FAX CENTER

PATENT

OCT 19 2004

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Anja Metzger

Art Unit

: 3744

Serial No.

10/628,974

Examiner

: Harry B. Tanner

Filed : Ji

July 28, 2003 Attorney Ref

Attorney Ref.: MDXVA-80US (formerly

56301P493C)

For

: A Method and an Apparatus

For a Port Access System

Confirmation No.: 7124

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

REVOCATION AND GRANT OF POWER OF ATTORNEY

On behalf of the assignee of the above-identified application, I, Charles J.

Jamison, hereby revoke any and all Powers of Attorney previously given with respect to the above patent application, and instead appoint the attorneys of Wood, Herron & Evans, L.L.P., 2700 Carew Tower, 441 Vine Street, Cincinnati, OH 45202-2917, under customer number 26,875, my attorneys, with full power of substitute and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith. Address all correspondence and telephone calls to

Kurt L. Grossman

Address of customer number 26,875

Telephone (513) 241-2324

STATEMENT UNDER 37 CFR 3.73(b)

Medex, Inc., a corporation, states that it is the assignee of the entire right, title and interest in the patent application identified above by virtue of the following chain of title from the inventor of the patent application identified above to the current assignee:

- 1. This application is a continuation of Application Serial No. 09/607,873 (now U.S. Patent No. 6,620,140). An assignment thereof from the inventor to Ethicon Inc., was executed November 22, 2002, recorded in the U.S. Patent and Trademark Office at Reel/Frame 011417/0773;
- 2. An assignment from Ethicon, Inc. to New Endo, Inc., executed December 31, 2001, recorded in the U.S. Patent and Trademark Office at Reel/Frame 014734/0642;
- 3. A change of name from New Endo, Inc. to Ethicon Endo-Surgery, Inc., effective December 31, 2001, recorded in the U.S. Patent and Trademark Office at Reel/Frame 014788/0206; and

and

- 2. An assignment from Ethicon Endo-Surgery to Medex, Inc., the current owner, executed August 13, 2003, recorded in the U.S. Patent and Trademark Office at Reel/Frame 015056/0662.
- I, Charles J. Jamison, Vice President and General Counsel of Medex, Inc., am authorized to act on behalf of Medex, Inc.

Respectfully submitted, Medex, Inc.

Date: Ochou 15,2004

Vice President and General Counsel

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the i	tems checked:
☐ BLACK BORDERS	·
☐ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES	
☐ FADED TEXT OR DRAWING	
☐ BLURRED OR ILLEGIBLE TEXT OR DRAWING	
☐ SKEWED/SLANTED IMAGES	
☐ COLOR OR BLACK AND WHITE PHOTOGRAPHS	
GRAY SCALE DOCUMENTS	
☐ LINES OR MARKS ON ORIGINAL DOCUMENT	
☐ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR	QUALITY
•	

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.